Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - United Kingdom (UK)

## **HORIBA** Advanced Techno

## SAFETY DATA SHEET

00803 EU

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : 500-F-TISAB (TISAB solution for fluoride ion selective electrode)

**Product code** : 3200697166, 3200700170

SDS Drawing Code : M002747

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

lonic strength adjuster

Uses advised against

Not available.

#### 1.3 Details of the supplier of the safety data sheet

HORIBA Advanced Techno Co., Ltd.

31, Miyanonishi-cho, Kisshoin, Minami-ku, Kyoto, 601-8306 Japan

Tel: +81-75- 321-7184

HORIBA Europe GmbH

Hans-Mess-Str.6, D-61440, Oberursel, Germany

Tel: +49 6172 1396 0

e-mail address of person responsible for this SDS

: techinfo.hor@jp.horiba.com

## 1.4 Emergency telephone number

**National advisory body/Poison Center** 

**Telephone number United** 

Kingdom (UK)

: +44 (0)20 7771 5310

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown

toxicity

: Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity:

3%

Percentage of the mixture consisting of ingredient(s) of unknown acute dermal

toxicity: 9%

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation

toxicity: 9%

#### 2.2 Label elements

**Date of issue/Date of revision** : 1/6/2020 00803 EU 1/14

500-F-TISAB (TISAB solution for fluoride ion selective electrode)

#### **SECTION 2: Hazards identification**

**Hazard pictograms** 





Signal word : Danger

**Hazard statements** : Causes severe skin burns and eye damage.

Very toxic to aquatic life.

**Precautionary statements** 

General: Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

**Prevention**: Wear protective gloves. Wear protective clothing. Wear eye or face protection.

Avoid release to the environment.

**Response**: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or physician. IF IN EYES: Immediately call a

POISON CENTER or physician.

**Storage** : Keep cool and protect from sunlight. Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

**Hazardous ingredients** 

Supplemental label

elements

sodium hydroxide

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

**Special packaging requirements** 

Containers to be fitted

with child-resistant

fastenings

: Yes, applicable.

Tactile warning of danger : Yes, applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification  Regulation (EC) No. 1272/2008 [CLP]	Туре
acetic acid	EC: 200-580-7 CAS: 64-19-7 Index: 607-002-00-6	6	Flam. Liq. 3, H226 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[1] [2]
sodium chloride	EC: 231-598-3 CAS: 7647-14-5	6	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=100)	[1]

**Date of issue/Date of revision** : 1/6/2020 00803 EU 2/14

500-F-TISAB (TISAB solution for fluoride ion selective electrode)

## **SECTION 3: Composition/information on ingredients**

sodium hydroxide	EC: 215-185-5	3	Skin Corr. 1A, H314	[1]
	CAS: 1310-73-2		Eye Dam. 1, H318	
	Index: 011-002-00-6		Aquatic Chronic 3, H412	
1,2,3-Propanetricarboxylic acid, 2-hydroxy-, sodium salt, hydrate (1: 3:2)		0.03	Not classified.	[6]
,	CAS: 6132-04-3			
			See Section 16 for the full text of the H statements declared above.	

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** 

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** 

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes severe burns.

**Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Date of issue/Date of revision** : 1/6/2020 00803 EU 3/14

## 500-F-TISAB (TISAB solution for fluoride ion selective electrode)

#### **SECTION 4: First aid measures**

Eye contact : Adverse symptoms may include the following:

> pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion Adverse symptoms may include the following:

stomach pains

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials:

Carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

#### 5.3 Advice for firefighters

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date of revision : 1/6/2020 00803 EU



**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

### **SECTION 6: Accidental release measures**

## **6.2 Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### 6.3 Methods and materials for containment and cleaning up

#### **Small spill**

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

## 6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

## Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

solutions

**Recommendations** : Not available. **Industrial sector specific** : Not available.

Date of issue/Date of revision : 1/6/2020 00803 EU 5/14



**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
acetic acid	EU OEL (Europe, 2/2017). Notes: list of indicative occupational exposure limit values
	STEL: 20 ppm 15 minutes. STEL: 50 mg/m³ 15 minutes.
sodium hydroxide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 2 mg/m³ 15 minutes.

## Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
acetic acid	DNEL	Short term	25 mg/m³	General	Local
		Inhalation		population	
	DNEL	Long term	25 mg/m³	General	Local
		Inhalation		population	
	DNEL	Short term	25 mg/m³	Workers	Local
		Inhalation			
	DNEL	Long term	25 mg/m <sup>3</sup>	Workers	Local
		Inhalation			
sodium chloride	DNEL	Short term Oral	126.65 mg/	General	Systemic
			kg bw/day	population	*
	DNEL	Long term Oral	126.65 mg/	General	Systemic
			kg bw/day	population	1
	DNEL	Short term Dermal	126.65 mg/		Systemic
			kg bw/day	population	1
	DNEL	Long term Dermal	126.65 mg/		Systemic
			kg bw/day	population	'
	DNEL	Short term Dermal	295.52 mg/		Systemic
			kg bw/day		1
	DNEL	Long term Dermal	295.52 mg/	Workers	Systemic
			kg bw/day		'
	DNEL	Short term	443.28 mg/	General	Systemic
		Inhalation	m³	population	1
	DNEL	Long term	443.28 mg/	General	Systemic
		Inhalation	m³	population	1
	DNEL	Short term	2068.62	Workers	Systemic
		Inhalation	mg/m³		1
	DNEL	Long term	2068.62	Workers	Systemic
		Inhalation	mg/m³		,
sodium hydroxide	DNEL	Long term	1 mg/m³	General	Local
,		Inhalation	5	population	

Date of issue/Date of revision : 1/6/2020 00803 EU 6/14

500-F-TISAB (TISAB solution for fluoride ion selective electrode)

## **SECTION 8: Exposure controls/personal protection**

DNEL	Long term	1 mg/m³	Workers	Local	
	Inhalation				

#### **PNECs**

No PNECs available.

#### 8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state : Liquid.

Color : Colorless.

Odor : Pungent.

Odor threshold : Not available.

PH : Not available.

Melting point/freezing point : Not available.

**Date of issue/Date of revision** : 1/6/2020 00803 EU 7/14

**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

## **SECTION 9: Physical and chemical properties**

Initial boiling point and boiling : Not available.

range

Flash point : Not available.

Evaporation rate : Not available.

Flammability (solid, gas) : Not available.

Upper/lower flammability or : Not available.

explosive limits

Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility(ies) : Not available.
Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Not available.Explosive properties: Not available.Oxidizing properties: Not available.

#### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
acetic acid	LC50 Inhalation Vapor	Rat	11000 mg/m <sup>3</sup>	4 hours
	LD50 Dermal	Rabbit	1060 mg/kg	-
	LD50 Oral	Rat	3310 mg/kg	-
sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

Conclusion/Summary : Not available.

**Acute toxicity estimates** 

**Date of issue/Date of revision** : 1/6/2020 00803 EU 8/14

**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

## **SECTION 11: Toxicological information**

Route	ATE value
Dermal Inhalation (vapors)	17666.67 mg/kg 183.33 mg/l

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
acetic acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes	-
				5 milligrams	
	Skin - Mild irritant	Human	-	24 hours 50	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 50	-
				milligrams	
	Skin - Severe irritant	Rabbit	-	525	-
				milligrams	
sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				milligrams	
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1	-
				Percent	
	Eyes - Mild irritant	Rabbit	-	400	-
				Micrograms	
	Eyes - Severe irritant	Rabbit	-	24 hours 50	-
				Micrograms	
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes	-
				1 milligrams	
	Skin - Mild irritant	Human	-	24 hours 2	-
		D 11.		Percent	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-
				milligrams	

**Conclusion/Summary** 

**Sensitization** 

Conclusion/Summary : Not available.

**Mutagenicity** 

Conclusion/Summary

: Not available.

: Not available.

**Carcinogenicity** 

Conclusion/Summary :

: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

**Date of issue/Date of revision** : 1/6/2020 00803 EU 9/14

**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

## **SECTION 11: Toxicological information**

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes severe burns.

**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion** : Adverse symptoms may include the following:

stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary**: Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
acetic acid	Acute EC50 73400 μg/l Fresh water Acute EC50 65000 μg/l Fresh water	Algae - Navicula seminulum Daphnia - Daphnia magna - Neonate	96 hours 48 hours
sodium chloride	Acute LC50 32 mg/l Marine water Acute LC50 75000 μg/l Fresh water Acute EC50 2430000 μg/l Fresh water Acute EC50 28.85 mg/dm3 Fresh water	Crustaceans - Artemia salina Fish - Lepomis macrochirus Algae - Navicula seminulum Algae - Pseudokirchneriella subcapitata	48 hours 96 hours 96 hours 72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours

**Date of issue/Date of revision** : 1/6/2020 00803 EU 10/14

# **500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

## **SECTION 12: Ecological information**

	Acute EC50 4.96 µg/l Fresh water	Daphnia - Daphnia magna -	48 hours
	. 0	Neonate	
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling,	3 weeks
		Weanling)	
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 125 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Conclusion/Summary : Not available.

#### 12.2 Persistence and degradability

Conclusion/Summary : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
acetic acid	-0.17	3.16	low

#### 12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

**Packaging** 

**Methods of disposal** 

: The classification of the product may meet the criteria for a hazardous waste.

: The generation of waste should be avoided or minimized wherever possible. Incineration or landfill should only be considered when recycling is not feasible.

**Date of issue/Date of revision** : 1/6/2020 00803 EU 11/14

500-F-TISAB (TISAB solution for fluoride ion selective electrode)

## **SECTION 13: Disposal considerations**

**Special precautions** 

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions

on the manufacture,

: Not applicable.

placing on the market and

use of certain dangerous

substances, mixtures and

articles

**Other EU regulations** 

**Europe inventory** : All components are listed or exempted.

**Seveso Directive** 

This product is controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

**Montreal Protocol** 

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Date of issue/Date of revision 00803 EU : 1/6/2020 12/14

500-F-TISAB (TISAB solution for fluoride ion selective electrode)

## SECTION 15: Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

15.2 Chemical Safety

**Assessment** 

: This product contains substances for which Chemical Safety Assessments are still

required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400		Calculation method Calculation method Calculation method
Full text of abbreviated H : statements	H226 H312 H314 H318 H319 H332 H400 H412	Flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Full text of classifications : [CLP/GHS]	Acute Tox. 4, H312 Acute Tox. 4, H332 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Flam. Liq. 3, H226 Skin Corr. 1A, H314 Skin Corr. 1B, H314	ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 3 SKIN CORROSION/IRRITATION - Category 1A SKIN CORROSION/IRRITATION - Category 1B

Full text of abbreviated R phrases

: R10- Flammable.

R34- Causes burns.

R35- Causes severe burns. R36- Irritating to eyes.

R50- Very toxic to aquatic organisms.

**Full text of classifications** [DSD/DPD]

C - Corrosive Xi - Irritant

N - Dangerous for the environment

Date of issue/ Date of revision

1/6/2020

Date of issue/Date of revision 00803 EU : 1/6/2020 13/14

#### Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

**HORIBA** Advanced Techno

**500-F-TISAB** (TISAB solution for fluoride ion selective electrode)

#### **SECTION 16: Other information**

Date of previous issue : 1/6/2020

**Notice to reader** 

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Date of issue/Date of revision** : 1/6/2020 00803 EU 14/14